

# TORCH KITS



## PRE-ASSEMBLED, COMPLETE PACKAGES

Torches provide instant heat when you need it. These units are constructed of heavy duty materials. Applications include asphalt melting, stress relieving, drying roofs, thawing and ice melting, weed burning, and pre-heating for welding.



FT15-250



| MODEL                              | FT15-100                   | FT15-250                    | FT15-500                     | FT15-250SV                  | FT15-500SV                   |
|------------------------------------|----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|
| <b>BTU/HR</b>                      | 25,000 MIN.<br>80,000 MAX. | 90,000 MIN.<br>300,000 MAX. | 110,000 MIN.<br>410,000 MAX. | 90,000 MIN.<br>300,000 MAX. | 110,000 MIN.<br>410,000 MAX. |
| <b>HANDLE LENGTH</b>               | 2'                         | 2'                          | 2'                           | 2'                          | 2'                           |
| <b>HOSE LENGTH*</b>                | 15'                        | 15'                         | 15'                          | 15'                         | 15'                          |
| <b>100% SAFETY SHUT-OFF SYSTEM</b> | NOT INCLUDED               | NOT INCLUDED                | NOT INCLUDED                 | INCLUDED                    | INCLUDED                     |

\*OTHER HOSE LENGTHS AVAILABLE

**EACH KIT INCLUDES A TORCH,  
HOSE, AND REGULATOR**

# BUILD YOUR OWN TORCH KIT

## STEP 1 - CHOOSE YOUR TORCH TYPE

| MODEL                              | FT-100                     | FT-250                      | FT-500                       | FT-100SV                   | FT-250SV                    | FT-500SV                     |
|------------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|
| <b>DESCRIPTION</b>                 | PROPANE VAPOR TORCH        |                             |                              |                            |                             |                              |
| <b>BTU/HR</b>                      | 25,000 MIN.<br>80,000 MAX. | 90,000 MIN.<br>300,000 MAX. | 110,000 MIN.<br>410,000 MAX. | 25,000 MIN.<br>80,000 MAX. | 90,000 MIN.<br>300,000 MAX. | 110,000 MIN.<br>410,000 MAX. |
| <b>HANDLE LENGTH</b>               | 2'                         | 2'                          | 2'                           | 2'                         | 2'                          | 2'                           |
| <b>100% SAFETY SHUT-OFF SYSTEM</b> | N/A                        | N/A                         | N/A                          | INCLUDED                   | INCLUDED                    | INCLUDED                     |

| MODEL                | FT6-3                | FT6-5   | FT6-7   | FT6-9   | FT8-10    | FT8-15    | FT8-20    |
|----------------------|----------------------|---------|---------|---------|-----------|-----------|-----------|
| <b>DESCRIPTION</b>   | LIQUID PROPANE TORCH |         |         |         |           |           |           |
| <b>BTU/HR</b>        | 300,000              | 500,000 | 700,000 | 900,000 | 1,000,000 | 1,500,000 | 2,000,000 |
| <b>HANDLE LENGTH</b> | 2'                   | 2'      | 2'      | 2'      | 4'        | 4'        | 4'        |

| MODEL                | FT1-3                         | FT1-5    | FT1-7    | FT4-10    | FT4-15    | FT4-20    |
|----------------------|-------------------------------|----------|----------|-----------|-----------|-----------|
| <b>DESCRIPTION</b>   | LIQUID PROPANE STRAIGHT TORCH |          |          |           |           |           |
| <b>BTU/HR</b>        | 300,000                       | 500,000  | 700,000  | 1,000,000 | 1,500,000 | 2,000,000 |
| <b>HANDLE LENGTH</b> | STRAIGHT                      | STRAIGHT | STRAIGHT | STRAIGHT  | STRAIGHT  | STRAIGHT  |

| MODEL                | FT2-3                          | FT2-5     | FT2-7     | FT5-10    | FT5-15    | FT5-20    |
|----------------------|--------------------------------|-----------|-----------|-----------|-----------|-----------|
| <b>DESCRIPTION</b>   | LIQUID PROPANE WELL TYPE TORCH |           |           |           |           |           |
| <b>BTU/HR</b>        | 300,000                        | 500,000   | 700,000   | 1,000,000 | 1,500,000 | 2,000,000 |
| <b>HANDLE LENGTH</b> | WELL TYPE                      | WELL TYPE | WELL TYPE | WELL TYPE | WELL TYPE | WELL TYPE |



## STEP 2 - CHOOSE YOUR HOSE

| PART NO.    | 34180-4 | 34240-4 | 34300-4 | 34600-4 |
|-------------|---------|---------|---------|---------|
| DESCRIPTION | HOSE    | HOSE    | HOSE    | HOSE    |
| HOSE LENGTH | 15'     | 20'     | 25'     | 50'     |

## STEP 3 - CHOOSE YOUR REGULATOR

| PART NO.    | 1230VK1        | 1230VK3          | 1230LK1         | 1230LK3           |
|-------------|----------------|------------------|-----------------|-------------------|
| DESCRIPTION | VAPOR STANDARD | VAPOR WITH GAUGE | LIQUID STANDARD | LIQUID WITH GAUGE |



PROPANE VAPOR TORCH



LIQUID PROPANE TORCH



LIQUID PROPANE STRAIGHT TORCH



LIQUID PROPANE WELL TYPE TORCH